

DAMP CLEANSING WIPE

BACKGROUND OF THE INVENTION

5

Field of the Invention

[0001] The invention concerns low-cost, easily manufacturable disposable single use, substantially damp, cleansing articles.

The Related Art

10 **[0002]** Personal cleansing and conditioning products have traditionally been marketed in a variety of forms such as bar soaps, creams, lotions, and gels. These formulations have attempted to satisfy a number of criteria to be acceptable to consumers. These criteria include cleansing effectiveness, skin feel, skin mildness and lather volume. Ideal personal cleansers should gently cleanse the skin or hair, cause little or no irritation, and not leave the skin or hair overly dry after frequent use.

15

- P
O
S
T
O
F
I
C
E
R
Y
S
H
A
P
E
S
S
O
L
U
T
I
O
N
S
- 5 [0003] A series of granted and pending patent applications have been published by Procter & Gamble describing disposable personal cleansing products purportedly addressing many of the aforementioned functionality concerns. These products are substantially dry articles having deposited onto a woven or non-woven cloth a cleansing composition of surfactant, structurant, skin conditioning agent and other performance ingredients. The term "substantially dry" is defined in most of these documents as maximum 10%, but in some instances as high as 15% water. Particularly preferred levels are 5% or less. A commercial embodiment sold in the U.S. is Olay® Daily Facial Cleansing Cloths having water levels of 3-4% by weight of the total cloth article. The technology is described in the following patents.
- 10 15 [0004] U.S. Patent 5,951,991 (Wagner et al.) focuses on providing the substrate with a conditioning emulsion separately impregnated from the lathering surfactant onto the cloth substrate. U.S. Patent 5,980,931 (Fowler et al.) emphasizes impregnation of oil soluble conditioning agents. WO 99/55303 (Albacarys et al.) describes skin care actives formulated with the cleansing composition.
- 20 25 [0005] Manufacturing processes for these products are reported in U.S. Patent 5,952,043 and U.S. Patent 5,863,663, both to Mackey et al. These patents teach use of a continuous lipid phase with a high melting waxy material deposited onto the

5

10

15

20

wipe substrate. The material is intended to be sufficiently brittle so as to be easily disrupted by low shear contact (e.g. during wiping of the skin) to readily release an internal skin conditioning phase, yet the material is required to be sufficiently tough to avoid premature release of the internal phase during the rigors of processing. A problem with this technology is that through compromise the continuous external lipid phase/internal polar phase is neither sufficiently robust for processing and handling nor sufficiently releasable under wash conditions to allow efficient release of conditioning agent onto the skin.

[0006] More recent publications in this area include WO 01/08542 A1 (Cen et al.), WO 01/08655 A1 (Phipps et al.), WO 01/08656 A1 (Smith et al.), WO 01/08657 A1 (Lorenzi et al.) and WO 01/08658 A1 (Cawkwell et al.), all to Procter and Gamble. These documents extend the wipe technology to bonded double layer substrates of contrasting textural properties. A rougher of the two sides may act as a gripping surface while the other may be used for delivering cleansing aids. The articles are described as being substantially dry defined as a Moisture Retention ratio of less than 0.95 gms. The ratio reports weight for total non-bound liquids in the article but is not synonymous with water content. Water levels are not defined.

- [0007] Our evaluations of dry wipes produced by the known technology has indicated slow latherability. We attribute the problem to the relatively thick coating deposited onto the wipe substrate. Another probable source of the problem is the relatively low water content. A need exists for a cleansing wipe of improved foamability and one which can be efficiently manufactured.
- 5
- [0008] Accordingly, it is an object of the present invention to provide a disposable, cleansing product which upon contact with water rapidly lathers and generates a rich long lasting foam.
- 10
- [0009] Another object of the present invention is to provide a disposable cleansing product having a cleansing composition coatable onto a flexible wiping cloth in a process that minimizes foam generation during manufacture.
- 15 [00010] Still another object of the present invention is to provide a disposable cleansing product which may include an impregnated composition allowing for improved manufacturability, better aesthetics and increased latherability.
- 20 [00011] These and other objects of the present invention will become more apparent in light of the following summary and disclosure.

SUMMARY OF THE INVENTION

[00012] A substantially damp cleansing product is provided which includes:

- (i) a water insoluble substrate; and
 - 5 (ii) a cleansing composition impregnated onto the substrate including:
 - (a) at least one lathering surfactant present in an amount sufficient to foam;
 - (b) water; and
- 10 wherein the water is present at greater than 15% by weight of the product, but no higher than about 40%, and the composition having a viscosity as measured on a Haake CV 20 Rheometer with 30 mm profiled parallel plates at 23°C ranging from about 50 to about 300,000 cp.
- 15

DETAILED DESCRIPTION OF THE INVENTION

[00013] Now it has been discovered that there is a critical range of viscosity for the impregnated cleansing composition. Below a minimum viscosity, the composition foams poorly when the dry wipe is wetted with water by a consumer. Although not wishing to be bound by a theory, we believe the low viscosity compositions are readily washed away by water down the sink and unavailable for lathering. By contrast, a too high

viscosity composition cannot be quickly activated with water for lathering by a consumer. There is a delay period.

5 [00014] Accordingly, the compositions of the present invention will have a viscosity ranging from about 50 to about 300,000 cp (centipoise). Thickness is measured on a Haake CV 20 Rheometer with 30 mm profiled parallel plates at 23°C. A preferred viscosity range is from about 100 to about 250,000

10 cp, more preferably from about 150 to about 100,000, even more preferably from about 200 to about 50,000 cp, and optimally from about 400 to about 10,000 cp.

15 [00015] Another important discovery is the criticality of water levels. Substantially dry articles are poor at instantaneously generating a foam. Lathering surfactant cannot easily be activated at levels below 15% water. Some substantial amount of water must be present to allow the lathering surfactants to exit more rapidly from the substrate creating a foam. Minimum levels should be greater than 15%, preferably at least about 20%, more preferably at least about 25% by weight of the total cleansing product. These damp levels of water have the further advantage of giving pliability to the fabric substrate. A softer, more pleasant feel results.

20 [00016] Too much water should not be present. Large amounts of water impart a soggy poor aesthetic feel to the product. Even more significant, water encourages microbial growth. Much higher levels of preservatives are necessary with high

5

water systems. Preservatives are not just a cost issue. Some consumers are hypoallergic to certain types of preservatives. Preserved systems must continuously be monitored to ensure that microbes have not mutated into strain resistant forms. Thus, maximum levels should be no higher than about 40% and preferably no higher than about 35% by weight of the cleansing product.

10

[00017] An essential element of compositions according to the present invention is that of a lathering surfactant. By a “lathering surfactant” is meant a surfactant, which when combined with water and mechanically agitated generates a foam or lather. Preferably, these lathering surfactants should be mild, which means that they must provide sufficient cleansing or detergative benefits but not overly dry the skin or hair, and yet meet the lathering criteria described above.

15

[00018] The products of the present invention typically include at least one lathering surfactant in an amount from about 0.5% to about 60%, preferably from about 0.75% to about 40%, and more preferably from about 1% to about 20%, based on the weight of the impregnated composition.

20

[00019] A wide variety of lathering surfactants are useful herein and include those selected from the group consisting of anionic, nonionic, cationic, amphoteric and lathering surfactant mixtures thereof.

[00020] Among the anionic lathering surfactants useful herein are the following non-limiting examples which include the classes of:

5

(1) Alkyl benzene sulfonates in which the alkyl group contains from 9 to 15 carbon atoms, preferably 11 to 14 carbon atoms in straight chain or branched chain configuration. Especially preferred is a linear alkyl benzene sulfonate containing about 12 carbon atoms in the alkyl chain.

10

(2) Alkyl sulfates obtained by sulfating an alcohol having 8 to 22 carbon atoms, preferably 12 to 16 carbon atoms. The alkyl sulfates have the formula $\text{ROSO}_3\text{-M}^+$ where R is the C_{8-22} alkyl group and M is a mono- and/or divalent cation.

15

(3) Paraffin sulfonates having 8 to 22 carbon atoms, preferably 12 to 16 carbon atoms, in the alkyl moiety. These surfactants are commercially available as Hostapur SAS from Hoechst Celanese.

20

(4) Olefin sulfonates having 8 to 22 carbon atoms, preferably 12 to 16 carbon atoms. Most preferred is sodium $\text{C}_{14}\text{-C}_{16}$ olefin sulfonate, available as Bioterge AS 40®

(5) Alkyl ether sulfates derived from an alcohol having 8 to 22 carbon atoms, preferably 12 to 16 carbon atoms, ethoxylated with less than 30, preferably less than 12, moles of ethylene oxide. Most preferred is sodium lauryl ether

sulfate formed from 2 moles average ethoxylation,
commercially available as Standopol ES-2®.

(6) Alkyl glyceryl ether sulfonates having 8 to 22 carbon
atoms, preferably 12 to 16 carbon atoms, in the alkyl
moiety.

5

(7) Fatty acid ester sulfonates of the formula: $R^1CH(SO_3^-M^+)CO_2R^2$ where R^1 is straight or branched alkyl from about C₈- to C₁₈, preferably C₁₂ to C₁₆, and R² is straight or branched alkyl from about C₁ to C₆, preferably primarily C₁, and M⁺ represents a mono- or divalent cation.

10

(8) Secondary alcohol sulfates having 6 to 18, preferably 8 to 16 carbon atoms.

(9) Fatty acyl isethionates having from 10 to 22 carbon atoms, with sodium cocoyl isethionate being preferred.

15

(10) Dialkyl sulfosuccinates wherein the alkyl groups range from 3 to 20 carbon atoms each.

20

(11) Alkanoyl sarcosinates corresponding to the formula RCON(CH₃)CH₂CH₂CO₂M wherein R is alkyl or alkenyl of about 10 to about 20 carbon atoms and M is a water-soluble cation such as ammonium, sodium, potassium and trialkanolammonium. Most preferred is sodium lauroyl sarcosinate.

(12) Alkyl lactylates wherein the alkyl groups range from 8 to 12 carbon atoms, with sodium lauroyl lactylate sold as Paticonic 138C® available from the Patterson Chemical Company as the most preferred.

5 (13) Taurates having from 8 to 16 carbon atoms, with cocoyl methyl taurate being preferred.

[00021] Nonionic lathering surfactants suitable for the present invention include C₁₀-C₂₀ fatty alcohol or acid hydrophobes condensed with from 2 to 100 moles of ethylene oxide or propylene oxide per mole of hydrophobe; C₂-C₁₀ alkyl phenols condensed with from 2 to 20 moles of alkylene oxides; mono- and di- fatty acid esters of ethylene glycol such as ethylene glycol distearate; fatty acid monoglycerides; sorbitan mono- and di- C₈-C₂₀ fatty acids; and polyoxyethylene sorbitan available as Polysorbate 80 and Tween 80® as well as combinations of any of the above surfactants.

[00022] Other useful nonionic surfactants include alkyl polyglucosides, saccharide fatty amides (e.g. methyl gluconamides) as well as long chain tertiary amine oxides. Examples of the latter category are: dimethylododecylamine oxide, oleyldi(2-hydroxyethyl)amine oxide, dimethyloctylamine oxide, dimethyldecylamine oxide, dimethyltetradecylamine oxide, di(2-hydroxyethyl)tetradecylamine oxide, 3-didodecyloxy-2-

hydroxypropyldi(3-hydroxypropyl)amine oxide, and dimethylhexadecylamine oxide.

[00023] Amphoteric lathering surfactants useful for the present invention include aliphatic secondary and tertiary amines, preferably wherein the nitrogen is in a cationic state, in which the aliphatic radicals can be straight or branched chain and wherein one of the radicals contains an ionizable water solubilizing group such as carboxy, sulphonate, sulphate, phosphate or phosphonate. Illustrative substances are cocamidopropyl betaine, cocamphoacetate, cocamphodiacetate, cocamphopropionate, cocamphodipropionate, cocamidopropyl hydroxysultaine, cetyl dimethyl betaine, cocamidopropyl PG-dimonium chloride phosphate, coco dimethyl carboxymethyl betaine, cetyl dimethyl betaine and combinations thereof.

[00024] For purposes of the present invention, the total of all lathering surfactants to water may be in a weight ratio ranging from about 1:10 to about 5:1, preferably from about 1:4 to about 4:1, more preferably from about 1:3 to about 3:1, and optimally from about 1:2 to about 2:1.

[00025] A necessary element of the present invention is that of a water insoluble substrate. By "water insoluble" is meant the substrate does not dissolve or readily break apart upon immersion in water. A wide variety of materials can be used as the substrate. The following non-limiting characteristics

are desirable: (i) sufficient wet strength for use, (ii) sufficient abrasivity, (iii) sufficient loft and porosity, (iv) sufficient thickness, and (v) appropriate size.

- [00026] Non-limiting examples of suitable insoluble substrates which meet the above criteria include non-woven substrates, woven substrates, hydro-entangled substrates, air entangled substrates and the like. Preferred embodiments employ non-woven substrates since they are economical and readily available in a variety of materials. By non-woven is meant that the layer is comprised of fibers which are not woven into a fabric but rather are formed into a sheet, particularly a tissue. The fibers can either be random (i.e., randomly aligned) or they can be carded (i.e. combed to be oriented in primarily one direction). Furthermore, the non-woven substrate can be composed of a combination of layers of random and carded fibers.
- [00027] Non-woven substrates may be comprised of a variety of materials both natural and synthetic. By natural is meant that the materials are derived from plants, animals, insects or byproducts. By synthetic is meant that the materials are obtained primarily from various man-made materials or from material that is usually a fibrous web comprising any of the common synthetic or natural textile-length fibers, or mixtures thereof.

- [00028] Non-limiting examples of natural materials useful in the present invention are silk fibers, keratin fibers and cellulosic fibers. Non-limiting examples of keratin fibers include those selected from the group consisting of wool fibers, camel hair fibers, and the like. Non-limiting examples of cellulosic fibers include those selected from the group consisting of wood pulp fibers, cotton fibers, hemp fibers, jute fibers, flax fibers, and mixtures thereof.
- [00029] Non-limiting examples of synthetic materials useful in the present invention include those selected from the group consisting of acetate fibers, acrylic fibers, cellulose ester fibers, modacrylic fibers, polyamide fibers, polyester fibers, polyolefin fibers, polyvinyl alcohol fibers, rayon fibers and mixtures thereof. Examples of some of these synthetic materials include acrylics such as Acrilan®, Creslan®, and the acrylonitrile-based fiber, Orlon®; cellulose ester fibers such as cellulose acetate, Arnel®, and Acele®; polyamides such as Nylons (e.g., Nylon 6, Nylon 66, and Nylon 610); polyesters such as Fortrel®, Kodel®, and Dacron®; polyolefins such as polypropylene, polyethylene; polyvinyl acetate fibers and mixtures thereof.
- [00030] Non-woven substrates made from natural materials consist of webs or sheets most commonly formed on a fine wire screen from a liquid suspension of the fibers.

[00031] Substrates made from natural materials useful in the present invention can be obtained from a wide variety of commercial sources. Non-limiting examples of suitable commercially available paper layers useful herein include Airtex®, an embossed airlaid cellulosic layer having a base weight of

5 about 71 gsy, available from James River Corporation, Green Bay, WI; and Walkisoft®, an embossed airlaid cellulosic having a base weight of about 75 gsy, available from Walkisoft U.S.A., Mount Holly, NC.

10 [00032] Non-woven substrates made from synthetic material useful in the present invention can also be obtained form a wide variety of commercial sources. Non-limiting examples of suitable non-woven layer materials useful herein include HFE- 40-047, an apertured hydroentangled material

15 containing about 50% rayon and 50% polyester, and having a basis weight of about 43 grams per square yard (gsy), available from Vertec, Inc., Walpole, MA; HEF 140-102, an apertured hydro-entangled material containing about 50% rayon and 50% polyester, and having a basis weight of about 20 56 gsy, available from Veratec, Inc., Walpole, MA; Novenet® 149-191, a thermo-bonded grid patterned material

20 containing about 69% rayon, about 25% polypropylene, and about 6% cotton, and having a basis weight of about 100 gsy, available from Veratec, Inc., Walpole, MA; HEF Nubtex® 149-801, a nubbed, apertured hydro-entangled material,

25

containing about 100% polyester, and having a basis weight of about 70 gsy, available from Veratec, Inc. Walpole, MA; Keybak® 951V, a dry formed apertured material, containing about 75% rayon, about 25% acrylic fibers, and having a basis weight of about 43 gsy, available from Chicopee Corporation, New Brunswick, NJ; Keybak® 1368, an apertured material, containing about 75% rayon, about 5% polyester, and having a basis weight of about 39 gsy, available from Chicopee Corporation, New Brunswick, NJ; Duralace® 1236, an apertured, hydro-entangled material, containing about 100% rayon, and having a basis weight from about 40 gsy to about 115 gsy, available from Chicopee Corporation, New Brunswick, NJ; Duralace® 5904, an apertured, hydro-entangled material, containing about 100% polyester, and having a basis weight from about 40 gsy to about 115 gsy, available from Chicopee Corporation, New Brunswick, NJ; Sontaro® 8868, a hydro-entangled material, containing about 50% cellulose and about 50% polyester, and having a basis weight of about 60 gsy, available from Dupont Chemical Corp.

[00033] Most preferred as a substrate for purposes of this invention are non-woven substrates, especially blends of rayon/polyester and ratios of 10:90 to 90:10, preferably ratios of 20:80 to 80:20, optimally 40:60 to 60:40 by weight. A most useful substrate is a 70:30 rayon/polyester non-woven wipe article.

- [00034] Anywhere from 1 to 100, preferably from 5 to 50 single
wipes may be stored within a dispensing pouch or container,
preferably a moisture impermeable pouch or container.
During storage and between dispensing, the pouch or
5 container is preferably resealable. Single wipe containing
pouches may also be employed.
- [00035] The water insoluble substrates of the present invention can
comprise two or more layers, each having a different texture
and abrasiveness. The differing textures can result from the
use of different combinations of materials or from the use of
10 a substrate having a more abrasive side for exfoliation and a
softer, absorbent side for gentle cleansing. In addition,
separate layers of the substrate can be manufactured to
have different colors, thereby helping the user to further
distinguish the surfaces. Although the present invention may
15 be suitable for substrates with two or more layers having
different texture and abrasiveness, the best effectiveness of
the damp system can be found with single or multiple
layered substrates of identical construction.
- 20 [00036] The amount of impregnating composition relative to the
substrate may range from about 20:1 to 1:20, preferably
from 10:1 to about 1:10 and optimally from about 2:1 to
about 1:2 by weight.


- [00037] Impregnating compositions of the present invention may also include silicones of a volatile and non-volatile variety. Typical volatile silicones are the cyclomethicones commercially available as Dow Corning 244, 245, 344 and 345. Linear volatile dimethicones are also suitable. Non-volatile silicones include polydimethyl siloxanes of a viscosity greater than 2 centistoke and silicone copolyols also known as dimethicone copolyol for which Dow Corning 193 is a commercial source. Amounts of the silicones may range from about 0.01 to about 20, preferably from about 0.5 to about 3% by weight of the impregnated composition.
- [00038] Cationic conditioning agents in monomeric and polymeric type are also useful for purposes of this invention. Examples of the polymeric type include: cationic cellulose derivatives, cationic starches, copolymers of a diallyl quaternary ammonium salt and an acrylamide, quaternized vinylpyrrolidone vinylimidazole polymers polyglycol amine condensates, quaternized collagen polypeptide, polyethylene imine, cationized silicon polymer (e.g. Amodimethicone), cationic silicon polymers provided in a mixture with other components under the trademark Dow Corning 929 (cationized emulsion), copolymers of adipic acid and dimethylaminohydroxypropyl diethylenetriamine, cationic chitin derivatives, cationized guar gum (e.g. Jaguar C-B-S, Jaguar C-17, Jaguar C-16 etc. manufactured by the Celanese

5

Company), quaternary ammonium salt polymers (e.g. Mirapol A-15, Mirapol AD-1, Mirapol AZ-1, etc., manufactured by the Miranol Division of the Rhone Poulenc Company). Most preferred is polyquaternium-11 available as Luviquat® PQ 11 sold by the BASF Corporation.

10

[00039] Examples of monomeric cationic conditioning agents are salts of the general structure:



15

20

wherein R¹ is selected from an alkyl group having from 12 to 22 carbon atoms, or aromatic, aryl or alkaryl groups having from 12 to 22 carbon atoms; R², R³, and R⁴ are independently selected from hydrogen, an alkyl group having from 1 to 22 carbon atoms, or aromatic, aryl or alkaryl groups having from 12 to 22 carbon atoms; and X⁻ is an anion selected from chloride, bromide, iodide, acetate, phosphate, nitrate, sulfate, methyl sulfate, ethyl sulfate, tosylate, lactylate, citrate, glycolate, and mixtures thereof. Additionally, the alkyl groups can also contain ether linkages, or hydroxy or amino group substituents (e.g. the alkyl groups can contain polyethylene glycol and polypropylene

glycol moieties). Preferably the anion is phosphate, especially preferred is hydroxy ethyl cetyl dimonium phosphate available as Luviquat® Mono CP from the BASF Corporation.

- 5 **[00040]** Amino silicones quats may similarly be employed. Most preferred is Silquat AD designated by the CTFA as Silicone Quaternium 8, available from Siltech Inc.
- 10 **[00041]** Amounts of each cationic agent may range from about 0.05 to about 5%, preferably from about 0.1 to about 3%, optimally from about 0.3 to about 2.5% by weight of the impregnated composition.
- 15 **[00042]** Water-binding agents are preferably included in compositions of the present invention. Water soluble binding agents such as polyhydric alcohols are particularly preferred. Typical polyhydric alcohols include glycerol (also known as glycerin), polyalkylene glycols and more preferably alkylene polyols and their derivatives, including propylene glycol, dipropylene glycol, polypropylene glycol, polyethylene glycol and derivatives thereof, sorbitol, hydroxypropyl sorbitol, hexylene glycol, 1,3-butylene glycol, 1,2,6-hexanetriol, ethoxylated glycerol, propoxylated glycerol and mixtures thereof. For best results the water-binding agent is preferably glycerin. Also particularly preferred are polyethylene glycol (average molecular weight ranging from about 200 to about 2,000,000, with PEG-9M and PEG-14M being preferred) and
- 20
- 25

hexylene glycol. In certain types of compositions the latter agent may be inappropriate and therefore polyols other than hexylene glycol should be utilized. The amount of water-binding agent may range anywhere from about 0.5 to about 50%, preferably between about 1 and about 30% by weight of the composition.

5 [00043] The disposable, single use personal care cleansing products of the present invention are manufactured by separately or simultaneously adding onto or impregnating into a water

10 insoluble substrate the cleansing composition including lathering surfactants and conditioners, wherein the resulting product is substantially dry. By "separately" is meant that the surfactants and the conditioners can be added sequentially, in any order without first being combined together. By "simultaneously" is meant that the surfactants and conditioners can be added at the same time, with or without first being combined together.

15 [00044] The surfactant, conditioners, water-binding agents and any other optional ingredients can be added onto or impregnated into the water insoluble substrate by any means known to those skilled in the art. For example, addition can be through spraying, laser printing, splashing, dipping, soaking, or coating.

- [00045] Except in the operating and comparative examples, or where otherwise explicitly indicated, all numbers in this description indicating amounts of material ought to be understood as modified by the word "about".
- 5 [00046] The term "comprising" is meant not to be limiting to any subsequently stated elements but rather to encompass non-specified elements of major or minor functional importance. In other words the listed steps, elements or options need not be exhaustive. Whenever the words "including" or "having" are used, these terms are meant to be equivalent to "comprising" as defined above.
- 10
- [00047] The following examples will more fully illustrate the embodiments of this invention. All parts, percentages and proportions referred to herein and in the appended claims are by weight unless otherwise illustrated.
- 15

EXAMPLE 1

- [00048] A formula typical of the present invention for impregnation onto a rayon/polyester substrate was formulated with the following components.

TABLE I

Example 1 Formula

| INGREDIENT | WEIGHT % |
|---|----------|
| Deionized Water | 25.45 |
| Glycerin | 25.00 |
| Cocamidopropyl Betaine (Tegobetaine F®, 30% Active) | 18.23 |
| Sodium Lauroyl Sarcosinate (Hamposyl L-30®, 30% Active) | 18.23 |
| Decyl Polyglucoside (Plantareen 2000 N®, 50% Active) | 11.15 |
| Silicone Quaternium-8 (Hanisquat AD®, 40% Active) | 0.50 |
| Polyquaternium 10 (Celquat SC-230M®) | 0.40 |
| Fragrance | 0.40 |
| Sodium Lauroyl Lactylate (Pationic 138C®) | 0.20 |
| Polyquaternium 4 (Celquat L-200®) | 0.15 |
| Methyl Paraben | 0.15 |
| Preservatives | 0.10 |
| Soya Sterol (Generol 122®) | 0.01 |
| Cholesterol | 0.01 |
| Vitamin E Acetate | 0.01 |
| Vitamin A Palmitate | 0.01 |

- [00050] The formula of the Table was coated onto a substrate at 2.0
5 grams coating per 2.0 grams rayon/polyester sheet (752 mm
by 190 mm area).
- [00051] Lather quality/stability comparisons were conducted on this
Example. A modified Ross-Miles foam tester was employed.
The towelettes lather parameters were measured on 3 cloths
10 in 200 ml of water. Results are reported in the Table below.

GOTT ET AL.
J6697(C)
01-D261-TR

TABLE II
Lather Quality/Stability Comparison

| Sample | Lather Quality/Stability* | Lather Height (ml) |
|---------------------------------------|---------------------------|--------------------|
| Olay® Daily Facial Cleansing Cloths** | 3 | 400 |
| Dove® Daily Facial Cleansing Cloths | 3 | 550 |
| Example 1 (coated on towelette) | 4.5 | 500 |

* Scale of 1 to 5, in order of increasing lather quality/stability.

** Representative of towelettes described by P&G in U.S. Patent 5,951,991, U.S. 5,980,931, U.S. 5,952,043, U.S. 5,863,663 and WO 99/55303

5

- [00052] A consumer study was also conducted on two of the towelette types described above. The study was based on response by 118 panelists. Results are reported in Table III below.
- 10

TABLE III

Consumer Test

| Property | % Preferred | |
|---------------------------------|--|--|
| | Example 1 Formula (Coated on Towelette) | Olay® Daily Facial Cleansing Cloths |
| Having a creamy lather | 72 | 28 |
| Lathers quickly | 68 | 32 |
| Leaves skin feeling soft | 61 | 39 |
| Leaves skin feeling moisturized | 59 | 41 |

5

- [00053]** Based upon the findings reported in Table III, there was a significant preference for the Example 1 formula towelette which incorporated 25% water. The Olay® towelette with only 3-4% water did not provide a sufficiently creamy lather, lathered slower, left skin feeling less soft and less moisturized than the towelette of the present invention.

10

- [00049]** A series of compositions are presented under Table IV reflective of the present invention. These compositions are impregnated onto a non-woven polyester substrate at a 1:1 weight ratio.

GOTT ET AL.
J6697(C)
01-D261-TR

TABLE IV

| INGREDIENT | SAMPLE (Weight %) | | | | | | G |
|--|-------------------|-------|-------|-------|-------|-------|-------|
| | A | B | C | D | E | F | |
| Hexylene Glycol | 15.00 | 13.45 | 11.00 | -- | 19.45 | 29.00 | |
| Butylene Glycol | -- | 2.00 | 4.00 | 15.00 | -- | -- | 19.00 |
| Water | 25.00 | 25.00 | 25.00 | 25.00 | 25.00 | 30.00 | 30.00 |
| Polyquaternium (Polymer JR 400®) | 1.00 | -- | -- | -- | -- | -- | -- |
| PEG 9M (PEO-2) | -- | -- | 1.00 | -- | -- | -- | 1.00 |
| Polyquaternium 4 (Cetquat L-200®) | -- | 0.15 | -- | -- | 0.15 | -- | -- |
| Polyquaternium 4 (Cetquat L-230M®) | -- | 0.40 | -- | -- | 0.40 | -- | -- |
| Hydroxypropyl Cellulose (Klucel GF®) | -- | -- | 1.00 | -- | -- | 1.00 | -- |
| Polyquaternium 7 (Merquat 2200®) | 1.33 | 1.33 | 1.33 | 1.33 | -- | -- | -- |
| Cocamidopropyl Betaine (Tegobetaine F®; 30% Active) | 17.60 | 17.60 | 17.60 | 17.60 | 20.00 | 20.00 | 20.00 |
| Decyl Polyglucoside (Plantaren 2000N®; 50% Active in Water) | 11.00 | 11.00 | 11.00 | 11.00 | 15.00 | -- | -- |
| Sodium Lauroyl Sarcosinate (Hamposy) L-30®; 30% Active | 17.60 | 17.60 | 17.60 | 17.60 | 20.00 | 20.00 | 30.00 |
| Sodium Lauroyl Lactylate (Pationic 138C®) | 1.74 | 1.74 | 1.74 | 1.74 | -- | -- | -- |
| Capric/Caprylic Triglycerides (Miglyol 812®) | 2.50 | 2.50 | 2.50 | 2.50 | -- | -- | -- |
| Silicone Quaternium-8 (Silquat AD®; 40% Active in Water) | 6.00 | 6.00 | 6.00 | 6.00 | -- | -- | -- |
| Fragrance | 1.03 | 1.03 | 1.03 | 1.03 | -- | -- | -- |
| Glydant Plus® Liquid (DMDM Hydantoin and Iodopropynyl Butylcarbamate in Butylene Glycol) | 0.20 | 0.20 | 0.20 | 0.20 | -- | -- | -- |

GOTT ET AL.
J6697(C)
01-D261-TR

| INGREDIENT | SAMPLE (Weight %) | | | | | |
|---|-------------------|-------|-------|-------|-------|-------|
| | H | I | J | K | L | M |
| Hexylene Glycol | -- | 3.50 | 14.00 | -- | -- | -- |
| Butylene Glycol | -- | -- | -- | -- | -- | 24.30 |
| Glycerin | 19.00 | 19.45 | -- | 18.3 | 29.45 | -- |
| Water | 20.00 | 20.00 | 14.08 | 20.00 | 18.00 | 24.45 |
| Polyquaternium (Polymer JR 400®) | 1.00 | -- | -- | -- | -- | -- |
| PEG 9M (PEO-2) | -- | -- | -- | -- | -- | -- |
| Polyquaternium 4 (Cetylquat L-200®) | -- | 0.15 | -- | -- | 0.15 | 0.15 |
| Polyquaternium 4 (Cetylquat L-230M®) | -- | 0.40 | -- | -- | 0.40 | 0.40 |
| Hydroxypropyl Cellulose (Klucel GF®) | -- | -- | 1.00 | 1.00 | -- | 1.00 |
| Sodium Laureth Sulfate, 2 mol, 70% in water (Steol® CS 270) | -- | 1.00 | -- | 1.00 | -- | -- |
| Polyquaternium 7 (Merquat 2200®) | 16.12 | 30.00 | 14.07 | 27.00 | 18.00 | 15.00 |
| Cocamidopropyl Betaine (Tegobetaine F®; 30% Active) | 16.00 | -- | 28.15 | -- | -- | -- |
| Decyl Polyglucoside (Plantaren 2000N®; 50% Active in Water) | 14.13 | -- | -- | 27.00 | -- | -- |
| Sodium Lauroyl Sarcosinate (Hamposyl L-30®; 30% Active) | 2.00 | -- | -- | -- | -- | -- |
| Sodium Lauroyl Lactylate (Pationic 138C®) | 5.00 | 5.00 | 5.00 | 5.00 | 3.00 | -- |
| Capric/Caprylic Triglycerides (Miglyol 812®) | -- | -- | -- | -- | 10.00 | -- |
| Dimethicone (D/C 200 fluid) | -- | -- | 20.00 | -- | -- | 5.00 |
| Sunflowerseed oil (Crocpure Sunflower) | -- | -- | 3.00 | -- | 2.50 | -- |
| Petrolatum | 6.00 | -- | -- | -- | -- | -- |
| Silicone Quaternium-8 (Silquat AD®; 40% Active in Water) | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 |
| Fragrance | 0.25 | -- | 0.20 | 0.20 | -- | 0.20 |
| Glydant Plus® Liquid (DMDM Hydantoin and Iodopropynyl Butylcarbamate in Butylene Glycol) | | | | | | 0.20 |

**GOTT ET AL.
J6697(C)
01-D261-TR**

| INGREDIENT | SAMPLE (Weight %) | | |
|--|-------------------|-------|-------|
| | O | P | Q |
| Hexylene Glycol | 14.50 | 18.75 | -- |
| Butylene Glycol | -- | -- | -- |
| Glycerin | -- | -- | 18.30 |
| Water | 20.00 | 35.00 | 35.00 |
| PEG 9M (PEO-2) | -- | -- | -- |
| Polyquaternium 4 (Celquat L-200®) | -- | 0.15 | -- |
| Polyquaternium 4 (Celquat L-230M®) | -- | 0.40 | -- |
| Hydroxypropyl Cellulose (Klucel GF®) | 1.00 | 1.00 | -- |
| Sodium Laureth Sulfate, 2 mol, 70% in water (Steol CS® 270) | -- | -- | 35.00 |
| Polyquaternium 10 (Polymer JR® 400) | 2.00 | 1.00 | -- |
| Polyquaternium 7 (Merquat 2200®) | -- | -- | 1.00 |
| Cocamidopropyl Betaine (Tegobetaine F®; 30% Active) | 18.00 | -- | 18.00 |
| Decyl Polyglucoside (Plantaren 2000N®; 50% Active in Water) | 16.00 | 40.00 | 22.00 |
| Sodium Lauroyl Sarcosinate (Hampson L-30®; 30% Active) | 18.00 | -- | -- |
| Sodium Lauroyl Lactylate (Pationic 138C®) | 1.00 | -- | -- |
| Capric/Caprylic Triglycerides (Miglyol 812®) | 3.00 | -- | -- |
| Dimethicone (D/C 200 fluid) | -- | 3.00 | 3.00 |
| Sunflowerseed oil (Cropure Sunflower) | -- | 1.00 | 1.00 |
| Petrolatum | 6.00 | -- | -- |
| Silicone Quaterrium-8 (Siliquat AD®; 40% Active in Water) | 0.30 | 0.50 | 0.50 |
| Fragrance | 0.20 | 0.20 | 0.20 |
| Glydant Plus® Liquid (DMDM Hydantoin and Iodopropynyl Butylcarbamate in Butylene Glycol) | | | 0.20 |

EXAMPLE 3

[00050] This Example reports on impregnation composition viscosities and their effect upon lather properties. Three formulations were prepared. These are reported in the Table below.

5

TABLE V

| INGREDIENT* | SAMPLE (WEIGHT %) | | |
|---|-------------------|-------|--------|
| | A | B | C |
| Water | 48.30 | 48.30 | 48.30 |
| Sodium laureth sulfate, 2 moles ethoxylation, 30% in water (Steol CS-230® Low Salt, Stepan) | 35.00 | 35.00 | 35.00 |
| Cocamidopropyl betaine, 30% in water (Tegobetaine F®, Goldschmidt) | 14.70 | 14.70 | 14.70 |
| Sodium Chloride | 2.00 | 0.00 | 1.00 |
| Hexylene Glycol | 0.00 | 2.00 | 1.00 |
| Viscosity (cp)** | 290,100 | 21.4 | 12,770 |

* Loading = 1.3 grams per 752 mm by 190 mm towelette

Fabric = 65 grams/m² formed of rayon/polyester blend

** Haake CV 20 Rheometer with 30 mm profiled parallel plates at RT

TABLE VI

Lather Results

| | Sample A | | Sample B | | Sample C | |
|------------|--------------|---------------|--------------|---------------|--------------|---------------|
| | Quick Lather | Lather Amount | Quick Lather | Lather Amount | Quick Lather | Lather Amount |
| Panelist 1 | 2 | 5 | 5 | 1 | 5 | 4 |
| Panelist 2 | 2 | 4 | 5 | 1 | 5 | 5 |
| Panelist 3 | 2 | 4 | 4 | 3 | 4 | 4 |
| Panelist 4 | 4 | 5 | 5 | 4 | 5 | 5 |
| Panelist 5 | 2 | 3 | 4 | 3 | 4 | 4 |
| Panelist 6 | 1 | 5 | 5 | 2 | 5 | 5 |
| Panelist 7 | 2 | 4 | 4 | 2 | 4 | 4 |
| Average | 2.14 | 4.29 | 4.57 | 2.29 | 4.57 | 4.43 |

5

[00051] The Panel Test results recorded in Table VI involved the Samples A-C impregnated towelettes being wetted under running water for 3 seconds. Thereafter the towelette was manipulated to generate lather. The Scale was: 5=fast (high) and 1=slow (little).

10 [00052] Sample A is a relatively high viscosity impregnated composition. While a satisfactory amount of lather was obtained, the generation was slow. Sample B with a relatively thin viscosity impregnated composition was quick to lather but total amount was relatively low. Sample C was a towelette loaded with a mid-range viscosity composition. It created a good amount of lather and was generated in a short period of time.

15

GOTT ET AL.
J6697(C)
01-D261-TR

[00053] The foregoing description and examples illustrate selected embodiments of the present invention. In light thereof variations and modifications will be suggested to one skilled in the art, all of which are within the spirit and purview of this invention.

5

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
289
290
291
292
293
294
295
296
297
298
299
299
300
301
302
303
304
305
306
307
308
309
309
310
311
312
313
314
315
316
317
318
319
319
320
321
322
323
324
325
326
327
328
329
329
330
331
332
333
334
335
336
337
338
339
339
340
341
342
343
344
345
346
347
348
349
349
350
351
352
353
354
355
356
357
358
359
359
360
361
362
363
364
365
366
367
368
369
369
370
371
372
373
374
375
376
377
378
379
379
380
381
382
383
384
385
386
387
388
389
389
390
391
392
393
394
395
396
397
398
399
399
400
401
402
403
404
405
406
407
408
409
409
410
411
412
413
414
415
416
417
418
419
419
420
421
422
423
424
425
426
427
428
429
429
430
431
432
433
434
435
436
437
438
439
439
440
441
442
443
444
445
446
447
448
449
449
450
451
452
453
454
455
456
457
458
459
459
460
461
462
463
464
465
466
467
468
469
469
470
471
472
473
474
475
476
477
478
479
479
480
481
482
483
484
485
486
487
488
489
489
490
491
492
493
494
495
496
497
498
499
499
500
501
502
503
504
505
506
507
508
509
509
510
511
512
513
514
515
516
517
518
519
519
520
521
522
523
524
525
526
527
528
529
529
530
531
532
533
534
535
536
537
538
539
539
540
541
542
543
544
545
546
547
548
549
549
550
551
552
553
554
555
556
557
558
559
559
560
561
562
563
564
565
566
567
568
569
569
570
571
572
573
574
575
576
577
578
579
579
580
581
582
583
584
585
586
587
588
589
589
590
591
592
593
594
595
596
597
598
599
599
600
601
602
603
604
605
606
607
608
609
609
610
611
612
613
614
615
616
617
618
619
619
620
621
622
623
624
625
626
627
628
629
629
630
631
632
633
634
635
636
637
638
639
639
640
641
642
643
644
645
646
647
648
649
649
650
651
652
653
654
655
656
657
658
659
659
660
661
662
663
664
665
666
667
668
669
669
670
671
672
673
674
675
676
677
678
679
679
680
681
682
683
684
685
686
687
688
689
689
690
691
692
693
694
695
696
697
697
698
699
699
700
701
702
703
704
705
706
707
708
709
709
710
711
712
713
714
715
716
717
718
719
719
720
721
722
723
724
725
726
727
728
729
729
730
731
732
733
734
735
736
737
738
739
739
740
741
742
743
744
745
746
747
748
749
749
750
751
752
753
754
755
756
757
758
759
759
760
761
762
763
764
765
766
767
768
769
769
770
771
772
773
774
775
776
777
778
779
779
780
781
782
783
784
785
786
787
788
789
789
790
791
792
793
794
795
796
797
797
798
799
799
800
801
802
803
804
805
806
807
808
809
809
810
811
812
813
814
815
816
817
818
819
819
820
821
822
823
824
825
826
827
828
829
829
830
831
832
833
834
835
836
837
838
839
839
840
841
842
843
844
845
846
847
848
849
849
850
851
852
853
854
855
856
857
858
859
859
860
861
862
863
864
865
866
867
868
869
869
870
871
872
873
874
875
876
877
878
879
879
880
881
882
883
884
885
886
887
888
889
889
890
891
892
893
894
895
896
897
897
898
899
899
900
901
902
903
904
905
906
907
908
909
909
910
911
912
913
914
915
916
917
918
919
919
920
921
922
923
924
925
926
927
928
929
929
930
931
932
933
934
935
936
937
938
939
939
940
941
942
943
944
945
946
947
948
949
949
950
951
952
953
954
955
956
957
958
959
959
960
961
962
963
964
965
966
967
968
969
969
970
971
972
973
974
975
976
977
978
979
979
980
981
982
983
984
985
986
987
988
989
989
990
991
992
993
994
995
995
996
997
997
998
999
999
1000